

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

	L #	Hits	Search Text
1	L1	33723	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
2	L2	2598	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message).ab.
3	L3	75	(chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address
4	L4	12	2 and 3
5	L5	799	(notice notif\$4) adj10 (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
6	L6	1199	(notice notif\$4) adj10 (server carrier provider sender) and (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
7	L7	1199	1 and 6
8	L8	5	6 and 3
9	L9	11991	(recipient user client subscriber consumer customer) adj2 option
10	L10	2	2 and 3 and 9
11	L11	1545	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message) near10 deliver\$3
12	L12	4	11 and 3
13	L13	34405	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message)

	L #	Hits	Search Text
14	L14	301	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) same diver\$4
15	L15	154	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) with diver\$4
16	L16	30	15 and 6
17	L17	784	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) and diver\$4 with (email mail electronic message)
18	L18	1	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) and diver\$4 with (email mail electronic message) with notif\$4

	Hits	Search Text
1	33723	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
2	2598	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message).ab.
3	75	(chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address
4	12	((recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message).ab.) and ((chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address)
5	799	(notice notif\$4) adj10 (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
6	1199	(notice notif\$4) adj10 (server carrier provider sender) and (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)
7	1199	((recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)) and ((notice notif\$4) adj10 (server carrier provider sender) and (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message))
8	5	((notice notif\$4) adj10 (server carrier provider sender) and (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message)) and ((chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address)
9	11991	(recipient user client subscriber consumer customer) adj2 option

	Hits	Search Text
10	2	((recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message).ab.) and ((chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address) and ((recipient user client subscriber consumer customer) adj2 option)
11	1545	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message) near10 deliver\$3
12	4	((recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message) near10 deliver\$3) and ((chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname) with (email mail electronic adj messag\$3) adj3 address)
13	34405	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message)
14	301	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) same diver\$4
15	154	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) with diver\$4
16	30	((recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) with diver\$4) and ((notice notif\$4) adj10 (server carrier provider sender) and (recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5) with (email mail electronic message))

	Hits	Search Text
17	784	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) and diver\$4 with (email mail electronic message)
18	1	(recipient user client subscriber consumer customer) with (elect\$3 specif\$ select\$4 identif\$4 inform assign\$3 design\$3 control manag\$5 accept\$3 deny denied reject decline) with (email mail electronic message) and diver\$4 with (email mail electronic message) with notif\$4
19	158	(eamil mail electrnoic adj message) with status same (parameter variable attribute id dentifier)
20	89	((eamil mail electrnoic adj message) with status same (parameter variable attribute id dentifier)) and (client user subscriber consumer) adj3 (software program application script applet)
21	178	(email mail electronic adj message) with status same (parameter variable attribute id dentifier)
22	98	((email mail electronic adj message) with status same (parameter variable attribute id dentifier)) and (client user subscriber consumer) adj3 (software program application script applet)
23	26	((email mail electronic adj message) with status same (parameter variable attribute id dentifier)) and (client user subscriber consumer) adj3 (software program application script applet)) and (subprogram subroutine parent)
24	12	((email mail electronic adj message) with status same (parameter variable attribute id dentifier)) and (client user subscriber consumer) adj3 (software program application script applet)) and (subprogram subroutine parent)) and synchroniz\$5
25	140	(notif\$4 inform) adj10 (server carrier host) with (source origin\$2 sender)
26	1504	(notif\$4 inform) adj10 (server carrier host) with (recipient user client subscriber consumer customer)
27	20	(email mail electronic adj message) and ((notif\$4 inform) adj10 (server carrier host) with (source origin\$2 sender)) and ((notif\$4 inform) adj10 (server carrier host) with (recipient user client subscriber consumer customer))

	Hits	Search Text
28	1	(email mail electronic adj message) and ((notif\$4 inform) adj10 (server carrier host) with (source origin\$2 sender)) and ((notif\$4 inform) adj10 (server carrier host) with (recipient user client subscriber consumer customer)) and divert\$3
29	1	(email mail electronic adj message) with divert\$3 and ((notif\$4 inform) adj10 (server carrier host) with (source origin\$2 sender)) and ((notif\$4 inform) adj10 (server carrier host) with (recipient user client subscriber consumer customer))
30	1036	(send\$3 deliver\$3) adj20 (email mail electronic adj message) with (recipient user client subscriber consumer customer) with (select\$4 request\$3 diver\$4 available option\$2 menu choice)
31	2526	(sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6) with (recipient user client subscriber consumer customer)
32	71	((send\$3 deliver\$3) adj20 (email mail electronic adj message) with (recipient user client subscriber consumer customer) with (select\$4 request\$3 diver\$4 available option\$2 menu choice)) and ((sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6) with (recipient user client subscriber consumer customer))
33	71	(email mail electronic adj message) and (((send\$3 deliver\$3) adj20 (email mail electronic adj message) with (recipient user client subscriber consumer customer) with (select\$4 request\$3 diver\$4 available option\$2 menu choice)) and ((sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6) with (recipient user client subscriber consumer customer)))
34	14	(email mail electronic adj message) with (diver\$4 redirect\$3) and (((send\$3 deliver\$3) adj20 (email mail electronic adj message) with (recipient user client subscriber consumer customer) with (select\$4 request\$3 diver\$4 available option\$2 menu choice)) and ((sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6) with (recipient user client subscriber consumer customer)))
35	507	(sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5 provid\$3) with (recipient user client subscriber consumer customer) adj10 (divert\$3 elect\$3 select\$4 choose choice menu option\$3)
36	16	(sender origin\$3 source) adj10 (notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5 provid\$3) with (recipient user client subscriber consumer customer) adj10 (divert\$3 elect\$3 select\$4 choose choice menu option\$3) with (email mail electronic adj message)

	Hits	Search Text
37	96	(server carrier host isp provider) adj10 (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) with (email mail electronic adj message)
38	2	(server carrier host isp provider) adj10 (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) with (email mail electronic adj message).ab.
39	37	((server carrier host isp provider) adj10 (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) with (email mail electronic adj message)) and (name number) with (email mail) adj2 address
40	1	((server carrier host isp provider) adj10 (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) with (email mail electronic adj message)) and (chang\$3 conver\$4 translat\$3 interpret\$5) adj20 (name number) with (email mail) adj2 address

	L #	Hits	Search Text
1	L1	938	(server carrier host isp provider courier post\$6) with (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right authoriz\$5 setup configur\$5 let enabl\$3) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) near5 (email mail electronic adj message file document messag\$3)
2	L2	21	(server carrier host isp provider courier post\$6 webserver emailserver) with (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right privilege authoriz\$5 setup configur\$5 let enabl\$3) with (recipient user client subscriber consumer customer) with (divert\$3 elect\$3 select\$4 choose choice menu option\$3) near3 (email mail electronic adj message file document messag\$3).ab.
3	L3	714	(server carrier host isp provider courier post\$6 webserver emailserver) near10 (inform provid\$3 option\$3 menu\$3 notice notif\$7 allow\$4 permi\$6 grant\$3 access adj right privilege authoriz\$5 setup configur\$5 let enabl\$3) with (recipient user client subscriber consumer customer) near20 (divert\$3 elect\$3 select\$4 choose choice menu option\$3) near3 (email mail electronic adj message file document messag\$3)
4	L4	168	(chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with (name username hostname number) with (email mail electronic adj messag\$3) adj3 address
5	L5	8	3 and 4
6	L6	6	name near5 (physical mac ip) adj2 address with email adj address
7	L7	141	name near5 (number (physical mac ip) adj2 address) with email adj address
8	L8	4	name near5 (number (physical mac ip) adj2 address) with (chang\$3 conver\$4 translat\$3 interpret\$3 proxy\$3 encapsulat\$3) with email adj address

	L #	Hits	Search Text
1	L1	101	(fax facsimile forward\$3) same (email mail voicemail) same (paging pda page handheld autodial\$3) same (phone telephone cellphone cellular) same server same (user client subscriber consumer customer operator)
2	L3	357629	(select\$4 specif\$4 control modif\$4 chang\$3) with (user client subscriber consumer customer operator)
3	L4	98	1 and 3
4	L5	12962	server with (select\$4 specif\$4 control modif\$4 chang\$3) with (user client subscriber consumer customer operator)
5	L6	2966	server with (authoriz\$5 permit\$4 allow\$4 assign\$3 designat\$3 priviledge grant) with (select\$4 specif\$4 control modif\$4 chang\$3) with (user client subscriber consumer customer operator)
6	L7	31	4 and 6
7	L8	1	4 and 6 and (special secure certif\$4) adj3 (email mail message)
8	L10	0	4 and 6 and 9
9	L9	14	server with (authoriz\$5 permit\$4 allow\$4 assign\$3 designat\$3 priviledge grant) with (select\$4 specif\$4 control modif\$4 chang\$3) with (user client subscriber consumer customer operator) with (send\$3 deliver\$3) near3 (email mail)